

MyWIDA: Weather Impacts and Data Base for Weapon Systems

**R.C. Shirkey* Ph.D., J. Brandt, L. Dawson,
D. Marlin Ph.D., R. Padilla, D. Sauter,
R. Szymber, S. Zeng**

**Army Research Laboratory
Battlefield Environment Division
Adelphi, MD & WSMR NM**

***Ph: (575) 678-5470**

richard.shirkey@us.army.mil

ITEA LVC
11-14 Jan 2010

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Approved For Public Release; Distribution Unlimited

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE JAN 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE MyWIDA: Weather Impacts and Data Base for Weapon Systems				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Army Research Laboratory,CISD/Battlefield Environment Division,AMSRD-ARL-CI-EM,White Sands Missile Range,NM,88002-5501				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES International Test and Evaluation Association (ITEA) Live-Virtual-Constructive Conference 2010, 11-14 Jan, El Paso, TX					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 17	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Outline


- **Tri-Service Integrated Weather Effects Decision Aid (T-IWEDA)**
- **The Heart of T-IWEDA – Rules**
- **My Weather Impacts Decision Aid (MyWIDA)**

T-IWEDA stands for the Tri-Service Integrated Weather Effects Decision Aid

An application for aiding in the selection of platforms, systems or sensors, based on system rules with critical values, using forecast weather.

Results are displayed on a red/yellow/green weather effects matrix (WEM) and overlaid on a background map

WEM for SABRE 4000 system overlaid on map of selected area




The Tri-Service Integrated Weather Effects Decision Aid is being fielded by the US Army, Navy, Marines and Air Force

Critical
Values

Forecast
Weather

- Provides weather impacts on military assets (missions, operations, systems, equipment, resources/infrastructure)
- Compares critical thresholds (rules) against forecast values for environmental data parameters.

Threshold
criteria for
IWEDA rules:



The Heart of T-IWEDA

Rules: What are They?

A rule is simply a critical environmental value and impact for a specific system

e.g. Surface winds greater than 33 knots prohibit helicopter takeoff and landing

Using critical values, the rules are mapped into **severe, **moderate**, or **minimal** impact.**

The above impact would be red. An example of a yellow impact for the same system would be

Surface windspeed greater than 23 knots may impact helicopter takeoff and landing

Where do they come from?

Rules are collected from service specific field manuals, training centers and schools.

Rules: How are they used?

**Rules coupled with forecast
weather identify impacts on
planned operations**


- produces actionable intelligence
- can be used for “deltas”
- rapid environmental assessment

T-IWEDA

Centralized Rules Data Base (CRDB)

The Weather Impacts Database will contain more than 11000 weather impact rules and critical value thresholds for severe ("red") and moderate ("amber") impacts


Army
Weather Impact
Critical Value
Database - "Red"
Severe Impacts



They fall into these 12 critical value parameter categories

(Visibility includes low clouds, fog and reduced visual/IR sensor ranges)

- Reality dictates boundaries should be continuous
 - weather
 - equipment operating limitations
 - safety factors
 - war time
 - peace time
 - operator experience



- Will have all the functionality of T-IWEDA
 - rule changes *cannot* be stored using T-IWEDA
 - rule changes *can* be stored using MyWIDA
- Rules modification
 - user may create, change, delete and store rules
 - local data base
 - master rules data base remains unchanged
 - allows examination of
 - alternative mission/system setups
 - prioritize and assign weights
 - tailor to commander's intent

Connects to Air Force Weather Agency (AFWA) via JMBL service for real-time weather forecast



Run Tri-Service IWEDA

Order Data via JMBL Service?

Organization ID:

Lower Left Latitude (deg):

Lower Left Longitude (deg):

Upper Right Latitude (deg):

Upper Right Longitude (deg):

Base Reference Date (YYYY-MM-DD):

Base Reference Time (HH:MM:SS):

Forecast Model:

Forecast Period(s): ☒ All ☐ 0

☐ 3 ☐ 6 ☐ 9 ☐ 12

☐ 15 ☐ 18 ☐ 21 ☐ 24

Rules Modification: REA the Rules Encoding Application

REA - Rules Encoding Application

File View Edit Insert Delete Export/Import Review Help

Asset Rules

Asset Type: System

Filter

systems

Friendly

CAM

JBPDS

JCAD

SABRE 4000

SUBD

Foreign

Available Asset-Rules for system SABRE 4000

Rule	Impact	Parameter	Full Impact	Branch	St...
1	UNFAVORABLE	surfacetemperature	Temperature < 32 F exceeds operating temperature limits.	ARMY	D
2	UNFAVORABLE	surfacetemperature	Temperature > 104 F exceeds operating temperature limits.	ARMY	D
3	MARGINAL	surfacewindspeed	Surface wind > 10 knots affects operation of the SABRE 4000.	ARMY	D
4	UNFAVORABLE	surfacewindspeed	Surface wind > 20 knots significantly affects operation of SABRE 4000.	ARMY	D
5	UNFAVORABLE	relativehumidity	Relative humidity > 90 percent exceeds operating humidity limits.	ARMY	D
6	MARGINAL	rainintensity	Rain intensity = light affects operation of the SABRE 4000.	ARMY	D
7	UNFAVORABLE	rainintensity	Rain intensity >= moderate significantly affects operation of the SABRE 4000.	ARMY	D


Example: create Rules for Explosive & Chemical Detection Sensors/Systems

MyWIDA v1 Capabilities:

- T-IWEDA** with REA software
- Contains custom CRDB with special GSS rules
- Ability to modify rules and add assets/rules
- Ability to save rule modifications
- Single laptop PC with network connectivity
- Ability to ingest* and post-process AFWA GMDB

** : Thin Client * : via JMBL pull

Concept:




MyWIDA v2 Capabilities:

- T-IWEDA* Gen II with REA software
- Access latest version of CRDB
- Ability to modify/add rules & assets
- Ability to save rules locally
- User defined thresholds GUI
- Rules weighting scheme
- Overall mission impact
- AFWA JAAWIN web service
- JMBL pull & ingest AFWA GMDB
- Multiple users
- Multiple AOIs

*: Thin Client

Concept:

AFWA Joint Air Force and Army
Weather Information Network





Conclusion

MyWIDA provides the capabilities of Rule customization and reuse coupled with portability and availability on laptop system(s)



Point of Contact:

Dr. Richard Shirkey
Lead DoD Tri-Service IWEDA Consortium
(575) 678-5470; Richard.Shirkey@us.army.mil

US Army Research Laboratory
CISD/Battlefield Environment Division
AMSRD-ARL-CI-EM
White Sands Missile Range, NM 88002-5501